


# EYE Cera Arc 360W

(For use with Mercury ballast with ignitor.)



## PHYSICAL DATA AND CHARACTERISTICS

Type	Watts (W)	Bulb	Base	Bulb Finish	Std. Pkg. Qty.	Colour Temp. (K)	Lamp		Initial Lumens (lm)	Ra	Rated Av. Life (hrs)	Burning Position	Fig. No.
							Voltage (V)	Current (A)					
EYE Cera Arc BT Protected E40 base operates on 400W mercury/metal halide ballast with ignitor													
CM360/W/SH/BUD	375	BT116	E40	Clear	12	4100	135	3.25	44000	80	15000	BUD ± 15°	1
CM360F/W/SH/BUD	375	BT116	E40	Coated	12	4100	135	3.25	42000	80	15000	BUD ± 15°	2

Ceramic metal halide for use with reactor type ballast 400W for mercury with ignitor. Direct replacement for standard metal halide lamps.

### Features

- Saves approximately 5 to 10% system wattage consumption per socket.
- High efficacy and highly maintained lumens support energy saving by reducing the number of fixtures required to achieve design lumens.
- Ra 80, high colour rendering makes installations more productive and attractive with reduced color shift and imperceptible lamp to lamp colour variation.
- Shrouded, "protected" design makes it possible to use in fixtures without glass front providing a low cost, high performance fixture.
- UV reduction coating on outer bulb prevents lit objects from fading and maintains high output with polycarbonate lenses.

### Notes:

Warning / Caution notice: download available from website  
Operating Instructions: download available from website

### Stay bright with high lumen maintenance

Keeps brighter longer with 75% maintained lumens at the end of lamp life.

